




1967 SHELBY GT 500  
**SHELBY**  
COLLECTIBLES  
12V ELECTRIC CAR

# OWNER'S MANUAL

KEEP THIS MANUAL FOR FUTURE REFERENCE, AS IT CONTAINS IMPORTANT INFORMATION.



MADE IN CHINA

BEFORE FIRST TIME USE, CHARGE THE BATTERY FOR AT LEAST 12 HOURS.

SUITABLE FOR 3 YEARS+

MAXIMUM USER WEIGHT: 88lb | 40kg

ADULT ASSEMBLY AND  
SUPERVISION REQUIRED

**BOX CONTENTS:**

TOY CAR WITH BATTERY  
CHARGER  
SPANNER  
OWNER'S MANUAL

FOR ANY PRODUCT ENQUIRIES OR ISSUES PLEASE CONTACT HUNTER PRODUCTS  
AT [WWW.ELECTRICRIDEON.COM.AU](http://WWW.ELECTRICRIDEON.COM.AU) OR TOLL FREE HELP LINE 1800 224 094.

# DIRECTORY

- (A) BEFORE USE** - - - - - P1
- (B) SPECIFICATION** - - - - - P1
- (C) PRECAUTIONS** - - - - - P2
- (D) EXPLODED DIAGRAM** - - - - - P3
- (E) PARTS** - - - - - P4
- (F) ASSEMBLY** - - - - - P5
- (G) FUSE** - - - - - P6
- (H) CHARGING AND BATTERY SAFETY** - - - - - P6-P8
- (I) CARE AND MAINTENANCE** - - - - - P8
- (J) TROUBLESHOOTING GUIDE** - - - - - P9
- (K) OPERATION AND FUNCTION** - - - - - P10
- (L) SERVICE & WARRANTY** - - - - - P11

## (A) BEFORE USE

Please read this manual carefully for important safety information and operating instructions before using your vehicle

## (B) SPECIFICATION

External dimensions	54*27*22 in   138*69*56cm	Power Mode	Rechargeable
User's proper age	3 years +	Charging Spec	15V 800mA
Loading limitation	88lb   40kg	Charging Time	8-12 hours
Speed	1.8 mph   3 km/hr	Fuse Spec	Self-resetting fuse
Battery Spec	12V 10AH		

## (C) PRECAUTIONS



### **WARNING: ASSEMBLY**

YOUR NEW VEHICLE REQUIRES ADULT ASSEMBLY.

Read entire instructions carefully before assembling this product.

Children can be harmed by small parts, sharp edges and sharp points in the vehicle's unassembled state, or by electrical items. Care should be taken in unpacking and assembly of the vehicle. Children should not handle parts, including the battery, or help in assembly of the vehicle.



### **WARNING: RIDING HAZARD**

- Not to be used in traffic.
- Never ride at night.
- Keep children within safe riding areas.
- These areas must be:
  - Away from swimming pools and other bodies of water to prevent drowning.
  - Generally level to prevent tipovers.
  - To reduce the risk of injury, adult supervision is required. Never use in roadways, near motor vehicles, on or near steep inclines or steps. Do not use on gravel surfaces. Only use on smooth surfaces.
- always wear protective clothing and shoes. Never allow more than 2 riders.
- Riding Rules:
  - Make sure children know and follow these rules for safe driving and riding.
  - Always sit on the seat.
- It is recommended that the rider always wears safety equipment such as fitted helmet when riding the vehicle.
- Use this vehicle **ONLY** outdoors. Most interior flooring can be damaged by riding this vehicle indoor



### **WARNING: SAFE DRIVING**

Before children use this vehicle, an adult should carefully evaluate the driving area as well as the child's skill level and ability to drive the vehicle safely.


Teach appropriate safety rules to your child before allowing operation of this vehicle. These rules should also be reviewed with other playmates who want to drive the vehicle.

- A child who is not sitting on the seat could fall off, cause a tip over or block the driver's view
- Only operate the vehicle in the daytime in a well-lit area.
- Driving near steep inclines can cause:
  - The vehicle to gain unsafe speed, even if the pedal is released to stop.
  - The vehicle to tilt and tip over.
  - The wheels to lose traction, causing the vehicle to slip.
  - The vehicle could roll backwards at an unsafe speed.
- Never put anything near any moving parts, rotating parts, such as motors, gear boxes and wheels, can snag fingers, hair, etc., causing serious injury.
- Do not allow operation of the vehicle when it is on its side or in an upside-down position.
- Do not operate the vehicle near flammable vapors (gasoline, paint thinner, acetone, liquid wax, etc.). The vehicle's electrical switches, like most electrical switches, emit an internal spark when first turned on or turned off, which could cause an explosion or fire.
- To prevent unsupervised use of the vehicle, disconnect the motor harness from the battery when the vehicle is not in use.

# (D) EXPLODED DIAGRAM





Tools needed for assembly:

- Tools:  
 spanner  
 screw-driver  
 (Not included)







1	Body*1
2	Seat*1
3	Mirror*2
4	Wheel*2
5	Driving wheel*2
6	Spoiler*1
7	Windshield*1
8	Steering wheel*1
	5*40MM Machine screws*1
	5MM nut*1
9	Wheel Cap*4
10	10MM nut*4
11	Insert parts*2
12	12MM spacer*2
13	10MM spacer*4
14	Gear box*2

**(E) PARTS**



<p>Body*1</p>  <p>①</p>	<p>Seat*1</p>  <p>②</p>	<p>Mirror*2</p>  <p>③</p>	
<p>Front Wheel*2</p>  <p>④</p>	<p>Driving Rear wheel*2</p>  <p>⑤</p>	<p>Spoiler*1</p>  <p>⑥</p>	
<p>Windshield*1</p>  <p>⑦</p>	<p>Steering wheel*1</p>  <p>5*40MM Machine screws*1</p>  <p>5MM nut*1</p>  <p>⑧</p>		<p>Wheel Cap*4</p>  <p>⑨</p>
<p>10mm nut*4</p>  <p>⑩</p>	<p>Insert parts*2</p>  <p>⑪</p>	<p>12mm spacer*2</p>  <p>⑫</p>	
<p>10mm spacer*4</p>  <p>⑬</p>	<p>Gear box*2</p>  <p>⑭</p>	<p>Battery 12V*1</p>  <p>⑮</p>	
<p>Charger*1</p>  <p>⑯</p>			

## (F) ASSEMBLY DIAGRAM



### Attention:

1. Before assembling the steering wheel, first connect the insert parts on the steering wheel with the insert parts on the car body.
2. Please open the battery cover under the seat, then connect the red wire to battery as shown in above diagram.



### Attention:

1. After connect the red wire to battery, then install the battery cover under the seat. And lock the seat as image shown.
2. The hook on the seat's back need to be inserted into the body's hole.

## (G) FUSE

The vehicle use auto re-set fuse.


When overloading or improper use, the fuse will be automatically “trips” and shut down operation of the vehicle, wait approximately 10~20 seconds before operating the vehicle again.

To avoid the shut down, please pay attention:

- (1) The maximum weight limited of the vehicle is 40KG.
- (2) Do not towing anything behind the vehicle.
- (3) Do not liquid immersion, it may cause the short circuit.
- (4) Do not revise the vehicle's circuit or the structure.
- (5) Do not use the different specification fuse.

## (H) CHARGING AND BATTERY SAFETY

As shown in below diagram, put the charger into the vehicle's charging hole, and the power plug into the matched stable AC power



**⚠ WARNING:**  
DO NOT allow children to play with the battery and charger. IT IS NOT A TOY.

### **⚠ WARNING: ELECTRICAL HAZARD**

- The battery must be handled by adults only. The battery is heavy and contains sulfuric acid (electrolyte). Dropping the battery could result in serious injury.
- Battery can fall out and injure a child if vehicle tips over. Always use battery retainer.
- Never modify the electrical system. Alterations could cause a fire resulting in serious injury and also ruin the electrical system.
- Use of the wrong type battery or charger could cause a fire or exploding resulting in serious injury.
- Never allow children to charge the battery. Battery charging must be done by adults only.
- Examine the battery, charger and their connectors for excessive wear or damage each time you charge the battery. If damage or excessive wear is detected, do not use the charger or the battery until you have replaced the worn or damaged part.
- Read the safety instructions on the battery.

## **CAUTION: BATTERY CHARGING**

- Use the charger in dry locations only.
- Make sure you charge the battery for at least 12 hours using the enclosed 12 volt charger before operating your vehicle for the first time. Charge the battery about 8 hours after each use of the vehicle. Never charge the battery longer than 16 hours. Failure to follow these instructions may damage your battery.
- Before charging the battery, examine the battery case for cracks and other damage which may cause sulfuric acid (electrolyte) to leak during the charging process. If damage is detected, do not charge the battery or use it in your vehicle. Battery acid is very corrosive and can cause severe damage to surfaces if any touch.
- Do not place the battery on a surface (such as kitchen counter tops) which could be damaged by the acid contained inside the battery. Take precautions to protect the surface on which you place your battery.
- Charge the battery in a well ventilated area.

## **BATTERY SAFETY INFORMATION**

In exceptional circumstances, batteries may leak fluids that can cause a chemical burn injury or ruin your product. To avoid battery leakage:

- Do not mix old and new batteries or batteries of different types.
- Insert batteries as indicated inside the battery compartment.
- Remove batteries during long periods of non-use. Always remove exhausted batteries from the product. Dispose of batteries safely. Do not dispose of this product in a fire. The batteries inside may explode or leak.
- Never short-circuit the battery terminals.
- Use only batteries of the same or equivalent type as recommended.
- Do not charge non-rechargeable batteries.
- If removable, rechargeable batteries are used, they are only to be charged under adult supervision.

## **BATTERY CARE**

- If a battery leak happens, avoid contact with the leaking acid and place the damaged battery in a plastic bag.
- If acid comes in contact with skin or eyes, flush with cool water for at least 15 minutes and call a physician.
- Do not allow the battery to run down completely before charging.
- Charge the battery before storing the vehicle, and at least once per month, even if the vehicle has not been used.
- Always remove an exhausted battery from the vehicle. Battery leakage and corrosion can damage the vehicle.

## BATTERY DISPOSAL



- This battery is a non-spillable sealed lead-acid battery. It must be recycled or disposed of in an environmentally sound manner.
- Do not dispose of a lead-acid battery in a fire. The battery may explode or leak.
- Do not dispose of a lead-acid battery in your regular, household trash. The incineration, landfilling or mixing of sealed lead-acid batteries with household trash is prohibited by law in most areas.
- Return an exhausted battery to a federal or state approved lead-acid battery recycler, such as a local seller of automotive batteries. Contact your local waste management officials for other information regarding the environmentally sound collection, recycling and disposal of lead-acid batteries.



- Protect the environment by not disposing of this lead-acid battery with household waste. Check your local authority for recycling advice and facilities.

## (I) CARE AND MAINTENANCE

- Audlts should check all screws, cap nuts and their protective coverings regularly and tighten as required. Check plastic parts on a regular basis for cracks or broken pieces.
- When vehicle is not used on a regular basis, the vehicle should be stored inside or under a protective cover. Please pull out the battery, the switch must be "off" position to ensure circuit safety. Remember to charge the battery at least once per month while your vehicle is not in regular use.
- Avoid operating the vehicle in wet or rainy or snowy conditions.
- Avoid operating the vehicle on sand, loose dirt or gravel. Sand, loose dirt or gravel in the motors or electrical switches can cause them to jam, and could cause switch or motor failure.
- The vehicle can be wiped down with a soft, dry cloth.  
DO NOT wipe vehicle with wax.  
DO NOT wash the vehicle with soap and water or spray the vehicle with a hose. Water or moisture in the motors or electrical switches can cause them to corrode, and could cause switch or motor failure.
- DO NOT make modifications to this vehicle. When maintenance, do not revise the vehicle's circuit and structure.
- ONLY use the battery and charger which comes with this vehicle.
- In the unstable supply voltage region, recommend to install voltage stabilizer to protect the battery.

## (J) TROUBLESHOOTING GUIDE

Problem	Possible Solutions
The vehicle does not move	<ul style="list-style-type: none"><li>· Charge the battery. (Charge battery after each use.) NOTE: vehicle will be cut off electricity during charging.</li><li>· Check all electrical connections.</li><li>· Check all switch whether "on" position.</li><li>· Check foot switch or manual button is stuck down so that can not press.</li><li>· The fuse may have been activated due to excessive weight or weight or rough driving conditions. Wait at least 10~20 seconds, and the vehicle will reset itself.</li><li>· Check is whether there is debris stuck wheels.</li></ul>
The vehicle begins to run slow	<ul style="list-style-type: none"><li>· Charge the battery. (Charge battery after each use.)</li><li>· Only allow two children at a time. DO NOT exceed child weight limit: 40kg</li><li>· Drive on level ground.</li><li>· Battery may be old or not accepting a full charge. The battery will last from 1 to 3 years depending on care, use and environment. Replace with 12Volt 10Ah battery only.</li><li>· Check is whether there is debris stuck wheels.</li></ul>
The vehicle runs erratically	<ul style="list-style-type: none"><li>· There may be a problem with the fuse, or you may have a damaged battery.</li></ul>
The charger feels warm when in use	<ul style="list-style-type: none"><li>· This is normal.</li></ul>
The gears sound very loud and/or are making a grinding noise.	<ul style="list-style-type: none"><li>· The gears may be broken.</li></ul>

## (K) OPERATION AND FUNCTION

**Power Switch:** Turn the vehicle on and off.

(When you turn on the vehicle, it has engine start sound.)

**Shift Lever:** Change the direction of vehicle moves from forward to reverse.

- To move the car forward, shift the lever in “high or low speed forward” position. Then press the “Foot pedal”, the vehicle drives forward.
- To move the car backward, shift the lever in “Reverse” position. Then press the “Foot pedal”, the vehicle drives backward.

**Foot pedal:**

To move the car, press the pedal down.


To stop the car, remove foot from the pedal.

**Steering Wheel:** It has engine start sound and horn when press the right and left button in the steering wheel.

**Volume knob:** Turn the knob clockwise to increase the volume, turn the knob counterclockwise to decrease the volume.

**Light function:** The front and back lights on when power switch turns to “ON”

**IMPORTANT:** Always stop vehicle when changing the speed or direction to avoid damage to gear box and motor.



## (L) SERVICE & WARRANTY

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Where a failure does not amount to a major failure, we are entitled to choose between providing you with a repair, replacement or refund. To obtain compensation, you would need to provide documentary evidence of the loss or damage suffered, and documentary evidence that such loss or damage was a reasonably foreseeable consequence of a failure by us to comply with a consumer guarantee under the Australian Consumer Law. Such evidence may include photographs, statutory declarations, receipts or reports (e.g. from your doctor), depending on the loss or damage.

In addition to all rights and remedies to which you may be entitled under the Competition and Consumer Act 2010 (Commonwealth) and any other relevant legislation, the manufacturer warrants this product to be free from defects in materials or workmanship for a period as stated on the packaging from the date of purchase.

In order to claim under this warranty, you will need to bring the product to the store of purchase, along with proof of purchase (typically this will be a receipt). Any cost incurred by you in bringing the product to the service desk will be borne by you. We will then, at our option, either repair or replace the product, or refund your money and take back the product.

Our liability under this manufacturer's warranty is subject to us being satisfied that a defect was caused by defective workmanship or materials, and was not caused by or substantially contributed to by other factors, or circumstances beyond our control, including (but not limited to) defective installation, maintenance or repair, alteration or modification of the product in any manner not recommended by the manufacturer or any neglect, misuse or excessive use.

The benefits conferred by this manufacturer's warranty are in addition to all rights and remedies conveyed by the Competition and Consumer Act 2010 (Commonwealth), and any other statutory rights to which you may already be entitled, and this warranty does not exclude, restrict or modify any such rights or remedies that are implied by law.

### HUNTER PRODUCTS

Level 2, 424 Warrigal Road Moorabbin 3189

Ph: 1800 224 094

Email: [enquiries@hunterproducts.com.au](mailto:enquiries@hunterproducts.com.au)